


Serving

100% Satisfaction





SCREW HEAD STYLES



CLUTCH

SLOT.IND.

SLOT.IND.

SIX-LOBE.IND.

8-POINT

SPLINE

SPANNER



Company Profile

Royal Industrial Service, established in the year 2004, with an aim of manufacturing best quality fasteners. Started on an 8000 sq. feet area with a workforce of 44 workers we have expanded to 21,000 sq. ft. area with increased workforce of 100 workers.

We have become a major manufacturer of highly durable array of screws, nuts, bolts, U-bolts, selftapping screws, rivets in variety of materials including different grades of steel, copper and its alloys, brass as well as in stainless steel. Equipped with machinery consisting of Taiwan made header machines, 3 station header machine, chamfer machines, burr free slotting machines, screw washer assembly machine and highspeed roll die threading machines we are currently running production capacity of 18,00,000 screws/shift. The manufacturing process is based on customer requirement varying in sizes from metric thread M2 to M16 and its equivalent thread sizes in different standards such as DIN, NPT, BSW, BSP and BSPT carried out by team of highly dedicated workforce. Having our own setup electroplating plant, we are capable of providing our customer utmost satisfaction in manufacturing and finishing of the fasteners supplied.

We are having our Unit-II as Royal Fasteners, our subsidiary company based in Jamnagar and setup in 26,000 sq, ft. area with manufacturing capacity of 7,00,000 screws/shift. We are developing new production line of aluminum and brass metal components in Unit-II.

The workflow in company is quality driven and with the team of self-motivated workers and staff members. All working towards continuous improvement and to achieve excellence in the manufacturing of products. Having expertise in gimped screws we are providing our customers the required torque and design in various gimped screws. In future, we are planning to double our current production capacity by running the production in double shift and procuring the latest and hi-tech quality assurance equipment that will strengthen our process quality.







Slotted Head Screws







- Oval head slotted screw
- Round head slottedscrew
- CSK slotted screw
- Cheese head collar slotted screw
- Slotted head Screw with dog point end



Product Details

- 1) Material : Mild steel, Stainless Steel, Brass, Copper
- Finish: Trivalent zinc (Blue, white, yellow, bright), Hexavalent zinc, Copper Nickel, tin, brass plated.
- 3) Size: Metric thread from M2 to M8 and equivalent size in UNF, BSW, UNC, BSP, NPT.



Pozi Drive Screws







- Philips Drive screw
- Binding head screw
- Screw as per Din Standard
- Screw with Dog-point end
- Pozi Combination with Z recess screw



- (1) Material: Mild steel, Stainless Steel, Brass, Copper
- (2) Finish: Trivalent zinc (Blue, white, yellow, bright), Hexavalent zinc, Copper Nickel, tin, brass plated.
- (3) Size: Metric thread from M2 to M8 and equivalent size in UNF, BSW, UNC, BSP, NPT.



Self-Tapping Screws










- Self-Tapping A type screw
- Self-Tapping AB type screw
- Self-Tapping B type screw
- Roofing Screw
- Sheeting Screw
- Chipboard screw

- (1) Material :Mild steel, high tensile Steel
- (2) Finish: Trivalent zinc (Blue, white, yellow, bright), Hexavalent zinc, Copper Nickel, brass plated.
- (3) Size: Metric thread from M2 to M8 and equivalent size in UNF, BSW, UNC, BSP, NPT.



Hex Bolt







- Hex Bolt with Flange
- Heavy Hex Head Bolt
- Slotted Hex head Bolt
- Philips Combi Hex Head Bolt
- Askew Head Hex Bolt

- (1) Material :Mild steel, high tensile Steel
- (2) Finish: Trivalent zinc (Blue, white, yellow, bright), Hexavalent zinc, Copper Nickel, brass plated.
- (3) Size: Metric thread from M2 to M8 and equivalent size in UNF, BSW, UNC, BSP, NPT.





Hex Socket Screws



- Hex Socket Round head screw
- Heavy Socket knurling head screw



Product Details

(1) Material : Mild steel, high tensile Steel

(2) Finish: Trivalent zinc (Blue, white, yellow,bright), Hexavalent zinc, Copper Nickel plated.
(3) Size: Metric thread from M2 to M8 and equivalent size in UNF, BSW, UNC, BSP, NPT.



Torx Head Screws



- T8 Torx Head Screw
- T10 Torx Head Screw
- T20 Torx Head Screw



Product Details

(1) Material: Mild steel, high tensile Steel

(2) Finish: Trivalent zinc (Blue, white, yellow, bright), Hexavalent zinc, Copper Nickel plated.

(3) Size: Metric thread from M2 to M8 and equivalent size in UNF, BSW, UNC, BSP, NPT.





Screw with Customized Head Shape















- Flat head Screw
- T Head Screw
- Flat Head with Knurling Screw
- Flat head with Hole Bolt
- Square Head Screw
- Square Drive Screw
- Other Customized head screw as per customer requirement

- (1) Material: Mild steel, Stainless Steel, Brass, Copper
- (2) Finish: Trivalent zinc (Blue, white, yellow, bright), Hexavalent zinc, Copper Nickel, tin, brass plated.
- (3) Size: Metric thread from M2 to M8 and equivalent size in UNF, BSW, UNC, BSP, NPT.



Socket Set Hex Grub Screws









- Slotted Head Grub Screw
- Slotted Head Grub Screw with Dog-point end
- Double slot grub Screw
- Socket Set Grub Screw
- Socket Hex Conical Cup Grub Screw
- Flat end Socket Hex Grub Screw
- Knurl Cup Socket Hex Grub Screw
- Oval Cup Socket Hex Grub Screw

- (1) Material : Mild steel, Stainless Steel, high tensile Steel, Brass, Copper
- (2) Finish: Trivalent zinc (Blue, white, yellow, bright), Hexavalent zinc, Copper Nickel plated.
- (3) Size: Metric thread from M2 to M16 and equivalent size in UNF, BSW, UNC, BSP, NPT.





Brass Screws








- Philips Drive Brass Screw
- Pozi Combination with Z recess Brass Screw
- Binding head Brass Screw
- Brass Screw as per Din Standard
- Hex Head Brass Screw
- Slotted Head Brass Screw
- CSK Brass Screw
- Slotted Head Brass Screw with collar
- Square head Brass Screw
- Other Customized head screw as per customer requirement

- (1) Material: Mild steel, Stainless Steel, Brass, Copper
- (2) Finish: Trivalent zinc (Blue, white, yellow, bright), Hexavalent zinc, Copper Nickel, tin plated.
- (3) Size: Metric thread from M2 to M8 and equivalent size in UNF, BSW, UNC, BSP, NPT.







U-Bolt







- U-BOLT Threaded
- U-BOLT without thread

- (1) Material: Mild steel, Stainless Steel, high tensile Steel, Brass, Copper
- (2) Finish: Trivalent zinc (Blue, white, yellow, bright), Hexavalent zinc, Copper Nickel plated
- (3) Size: Metric thread from M3 to M16 and equivalent size in UNF, BSW, UNC, BSP, NPT.







Plot No. 4409, J-Road, GIDC, Phase-3, Dared, Jamnagar - 361 004, (Gujarat).

Mobile: +91 94285 79269

Mobile: +91 98252 51591, +91 9785039571

Email: sales@royalindustrialservice.com

E-mail: royalhitesh123@gmail.com

E-mail: shivam.sharma@royalindustrialservice.com